

FIG. 1A




FIG. 1B




FIG. 2






FIG. 4A




FIG. 4B




FIG. 5B is a perspective view of the second embodiment of the container. It shows a similar structure to FIG. 5A, with a main body 100 and a lid 20. The lid 20 has a top surface 2a and a side surface 2b. The main body 100 has a bottom surface 100a and a side surface 100b. The lid 20 is connected to the main body 100 by a hinge 7a. The hinge 7a includes a hinge pin 7b and a hinge plate 7c. The lid 20 also includes a locking mechanism 19a, 19b, 19c. The main body 100 includes a locking mechanism 15, 16, 17, 18, 19. The locking mechanism 15 includes a locking pin 15a and a locking plate 15b. The locking mechanism 16 includes a locking pin 16a and a locking plate 16b. The locking mechanism 17 includes a locking pin 17a and a locking plate 17b. The locking mechanism 18 includes a locking pin 18a and a locking plate 18b. The locking mechanism 19 includes a locking pin 19a and a locking plate 19b. The main body 100 also includes a locking mechanism 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14. The locking mechanism 3 includes a locking pin 3a and a locking plate 3b. The locking mechanism 4 includes a locking pin 4a and a locking plate 4b. The locking mechanism 5 includes a locking pin 5a and a locking plate 5b. The locking mechanism 6 includes a locking pin 6a and a locking plate 6b. The locking mechanism 7 includes a locking pin 7a and a locking plate 7b. The locking mechanism 8 includes a locking pin 8a and a locking plate 8b. The locking mechanism 9 includes a locking pin 9a and a locking plate 9b. The locking mechanism 10 includes a locking pin 10a and a locking plate 10b. The locking mechanism 11 includes a locking pin 11a and a locking plate 11b. The locking mechanism 12 includes a locking pin 12a and a locking plate 12b. The locking mechanism 13 includes a locking pin 13a and a locking plate 13b. The locking mechanism 14 includes a locking pin 14a and a locking plate 14b. The main body 100 also includes a locking mechanism 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19. The locking mechanism 1 includes a locking pin 1a and a locking plate 1b. The locking mechanism 2 includes a locking pin 2a and a locking plate 2b. The locking mechanism 3 includes a locking pin 3a and a locking plate 3b. The locking mechanism 4 includes a locking pin 4a and a locking plate 4b. The locking mechanism 5 includes a locking pin 5a and a locking plate 5b. The locking mechanism 6 includes a locking pin 6a and a locking plate 6b. The locking mechanism 7 includes a locking pin 7a and a locking plate 7b. The locking mechanism 8 includes a locking pin 8a and a locking plate 8b. The locking mechanism 9 includes a locking pin 9a and a locking plate 9b. The locking mechanism 10 includes a locking pin 10a and a locking plate 10b. The locking mechanism 11 includes a locking pin 11a and a locking plate 11b. The locking mechanism 12 includes a locking pin 12a and a locking plate 12b. The locking mechanism 13 includes a locking pin 13a and a locking plate 13b. The locking mechanism 14 includes a locking pin 14a and a locking plate 14b. The locking mechanism 15 includes a locking pin 15a and a locking plate 15b. The locking mechanism 16 includes a locking pin 16a and a locking plate 16b. The locking mechanism 17 includes a locking pin 17a and a locking plate 17b. The locking mechanism 18 includes a locking pin 18a and a locking plate 18b. The locking mechanism 19 includes a locking pin 19a and a locking plate 19b.

[illegible]



FIG. 7




FIG. 8A




FIG. 8B




FIG. 8C






FIG. 9




FIG. 10A




FIG. 10B




FIG. 10C

